


DATI TECNICI ACCESSORI STANDARD INOX AISI 316

INOX AISI 316 STANDARD ACCESSORIES TECHNICAL DATA

Fluido <i>Fluid</i>	Aria compressa, acqua ed altri fluidi compatibili con i materiali costituenti i raccordi <i>Compressed air, water and other fluids compatible with fittings materials</i>				
Pressione di esercizio <i>Working pressure</i>	Max 15 Bar <i>Max 15 Bar</i>				
Applicazioni <i>Applications</i>	1)Alimentare <i>1)Food</i>	2)Chimico <i>2)Chemical</i>	3)Cosmetico <i>3)Cosmetic</i>	4)Farmaceutico <i>4)Pharmaceutical</i>	5)Navale <i>5)Naval</i>
Materiali <i>Materials</i>	Corpo <i>Body</i>	Acciaio AISI 316 <i>AISI 316 Steel</i>			
Filettatura <i>Thread types</i>	BSPP cilindrica UNI-ISO228. <i>BSPP cilindric UNI-ISO228.</i> BSPT conica UNI-ISO 7. <i>BSPT conic UNI-ISO 7.</i>				
Filetti <i>Threads</i>	Filettature da 1/8" a 4" <i>Threads from 1/8" to 4"</i>				



NIPPLO CONICO RIDOTTO

REDUCED NIPPLE TAPER

MAX50K



Codice/Code	F	F1	
MAX50K1418	R1/4"	R1/8"	10
MAX50K3818	R3/8	R1/8"	10
MAX50K3814	R3/8	R1/4"	10
MAX50K1214	R1/2	R1/4"	10
MAX50K1238	R1/2	R3/8	10
MAX50K3438	R3/4	R3/8	10
MAX50K3412	R3/4	R1/2	10
MAX50K0112	R1"	R1/2	10
MAX50K0134	R1"	R3/4	10
MAX50K011412	R1" 1/4"	R1/2	10
MAX50K011434	R1" 1/4"	R3/4	10
MAX50K011401	R1" 1/4"	R1"	10
MAX50K011234	R1" 1/2	R3/4	10
MAX50K011201	R1" 1/2	R1"	10
MAX50K01120114	R1" 1/2	R 1" 1/4"	10
MAX50K0201	R2"	R 1"	10
MAX50K020114	R2"	R 1" 1/4"	10
MAX50K020112	R2"	R 1" 1/2"	10

MANICOTTO

SLEEVE

MAX53



Codice/Code	F		
MAX531818	G1/8		10
MAX531414	G1/4		10
MAX533838	G3/8		10
MAX531212	G1/2		10
MAX533434	G3/4		10
MAX530101	G1"		10
MAX530114	G1" 1/4"		10
MAX530112	G1" 1/2"		10
MAX530202	G2"		10
MAX530212	G2" 1/2"		10
MAX530303	G3"		10
MAX530404	G4"		10

NIPPLO CONICO

NIPPLE TAPER

MAX52K



Codice/Code	F	F1	
MAX52K1818	R1/8	R1/8	10
MAX52K1414	R1/4	R1/4	10
MAX52K3838	R3/8	R3/8	10
MAX52K1212	R1/2	R1/2	10
MAX52K3434	R3/4	R3/4	10
MAX52K0101	R1"	R1"	10
MAX52K0114	R1" 1/4"	R1" 1/4"	10
MAX52K0112	R1" 1/2"	R1" 1/2"	10
MAX52K0202	R2"	R2"	10
MAX52K0212	R2" 1/2"	R2" 1/2"	10
MAX52K0303	R3"	R3"	10
MAX52K0404	R4"	R4"	10

RIDUZIONE MASCHIO-FEMMINA CONICO

TAPER REDUCER MALE-FEMALE

MAX54K



Codice/Code	F	F1	
MAX54K1418	R1/4	G1/8	10
MAX54K3814	R3/8	G1/4	10
MAX54K1214	R1/2	G1/4	10
MAX54K1238	R1/2	G3/8	10
MAX54K3438	R3/4	G3/8	10
MAX54K3412	R3/4	G1/2	10
MAX54K0138	R1"	G3/8	10
MAX54K0112	R1"	G1/2	10
MAX54K0134	R1"	G3/4	10
MAX54K011401	R1" 1/4"	G1"	10
MAX54K01234	R1" 1/2"	G3/4	10
MAX54K011201	R1" 1/2"	G1"	10
MAX54K01120114	R1" 1/2"	G1" 1/4"	10
MAX54K0201	R2"	G1"	10
MAX54K020114	R2	G1" 1/4"	10
MAX54K020112	R2	G1" 1/2"	10
MAX54K02120112	R2" 1/2"	G1" 1/2"	10
MAX54K021202	R2" 1/2"	G2"	10
MAX54K0302	R3"	G2"	10
MAX54K030212	R3"	G2" 1/2"	10

TRONCHETTO A SALDARE
WELDABLE JOINT
MAX55K


Codice/Code	F		
MAX55K0018	R1/8		10
MAX55K0014	R1/4		10
MAX55K0038	R3/8		10
MAX55K0012	R1/2		10
MAX55K0034	R3/4		10
MAX55K0001	R1"		10
MAX55K0114	R1"1/4		10
MAX55K0112	R1"1/2		10
MAX55K0002	R2"		10
MAX55K0212	R2"1/2		10
MAX55K0003	R3"		10
MAX55K0004	R4"		10

TAPPO FEMMINA
FEMALE PLUG
MAX58


Codice/Code	F		
MAX580018	G1/8		10
MAX580014	G1/4		10
MAX580038	G3/8		10
MAX580012	G1/2		10
MAX580034	G3/4		10
MAX580001	G1"		10
MAX580114	G1"1/4		10
MAX580112	G1"1/2		10
MAX580002	G2"		10
MAX580212	G2"1/2		10
MAX580003	G3"		10
MAX580004	G4"		10

MANICOTTO RIDOTTO
REDUCING SLEEVE
MAX56


Codice/Code	F	F1	
MAX561418	G1/4	G1/8	10
MAX563814	G3/8	G1/4	10
MAX561214	G1/2	G1/4	10
MAX561238	G1/2	G3/8	10
MAX563438	G3/4	G3/8	10
MAX563412	G3/4	G1/2	10
MAX560112	G1"	G1/2	10
MAX560134	G1"	G3/4	10
MAX56011434	G1"1/4	G3/4	10
MAX56011401	G1"1/4	G1"	10
MAX56011234	G1"1/2	G3/4	10
MAX56011201	G1"1/2	G1"	10
MAX5601120114	G1"1/2	G1"1/4	10
MAX560201	G2"	G1"	10
MAX56020114	G2"	G1"1/4	10
MAX56020112	G2"	G1"1/2	10

RACCORDO A "L90" FEMMINA-FEMMINA
ELBOW 90° FEMALE-FEMALE
MAX59


Codice/Code	F		
MAX590018	G1/8		10
MAX590014	G1/4		10
MAX590038	G3/8		10
MAX590012	G1/2		10
MAX590034	G3/4		10
MAX590001	G1"		10
MAX590114	G1"1/4		10
MAX590112	G1"1/2		10
MAX590002	G2"		10
MAX590212	G2"1/2		10
MAX590003	G3"		10
MAX590004	G4"		10

TAPPO MASCHIO CONICO
TAPER MALE PLUG
MAX57K


Codice/Code	F		
MAX57K0018	R1/8		10
MAX57K0014	R1/4		10
MAX57K0038	R3/8		10
MAX57K0012	R1/2		10
MAX57K0034	R3/4		10
MAX57K0001	R1"		10
MAX57K0114	R1"1/4		10
MAX57K0112	R1"1/2		10
MAX57K0002	R2"		10
MAX57K0212	R2"1/2		10
MAX57K0003	R3"		10
MAX57K0004	R4"		10


RACCORDO A "L45" FEMMINA-FEMMINA
ELBOW 45° FEMALE-FEMALE
MAX62


Codice/Code	F		
MAX620018	G1/8		10
MAX620014	G1/4		10
MAX620038	G3/8		10
MAX620012	G1/2		10
MAX620034	G3/4		10
MAX620001	G1"		10
MAX620114	G1"1/4		10
MAX620112	G1"1/2		10
MAX620002	G2"		10
MAX620212	G2"1/2		10
MAX620003	G3"		10
MAX620004	G4"		10

RACCORDO A "L" MASCHIO-FEMMINA

ELBOW MALE-FEMALE

MAX60



Codice/Code	F	F1	
MAX60K0018	R1/8	G1/8	10
MAX60K0014	R1/4	G1/4	10
MAX60K0038	R3/8	G3/8	10
MAX60K0012	R1/2	G1/2	10
MAX60K0034	R3/4	G3/4	10
MAX60K0001	R1"	G1"	10
MAX60K0114	R1"1/4	G1"1/4	10
MAX60K0112	R1"1/2	G1"1/2	10
MAX60K0002	R2"	G2"	10
MAX60K0212	R2"1/2	G2"1/2	10
MAX60K0003	R3"	G3"	10
MAX60K0004	R4"	G4"	10

BOCCHETTONE 3 PEZZI F.F.

3 PARTS JOINT F.F.

MAX65



Codice/Code	F		
MAX650018	G1/8		10
MAX650014	G1/4		10
MAX650038	G3/8		10
MAX650012	G1/2		10
MAX650034	G3/4		10
MAX650001	G1"		10
MAX650114	G1"1/4		10
MAX650112	G1"1/2		10
MAX650002	G2"		10
MAX650212	G2"1/2		10
MAX650003	G3"		10
MAX650004	G4"		10

"T" FEMMINA

"T" FEMALE

MAX61



Codice/Code	F		
MAX610018	G1/8		10
MAX610014	G1/4		10
MAX610038	G3/8		10
MAX610012	G1/2		10
MAX610034	G3/4		10
MAX610001	G1"		10
MAX610114	G1"1/4		10
MAX610112	G1"1/2		10
MAX610002	G2"		10
MAX610212	G2"1/2		10
MAX610003	G3"		10
MAX610004	G4"		10

BOCCHETTONE 3 PEZZI M.F.

3 PARTS JOINT M.F.

MAX66



Codice/Code	F	F1	
MAX66K0018	R1/8	G1/8	10
MAX66K0014	R1/4	G1/4	10
MAX66K0038	R3/8	G3/8	10
MAX66K0012	R1/2	G1/2	10
MAX66K0034	R3/4	G3/4	10
MAX66K0001	R1	G1"	10
MAX66K0114	R1"1/4	G1"1/4	10
MAX66K0112	R1"1/2	G1"1/2	10
MAX66K0002	R2"	G2"	10
MAX66K0212	R2"1/2	G2"1/2	10
MAX66K0003	R3"	G3"	10
MAX66K0004	R4"	G4"	10

CROCE FEMMINA

FEMALE CROSS

MAX64



Codice/Code	F		
MAX640018	G1/8		10
MAX640014	G1/4		10
MAX640038	G3/8		10
MAX640012	G1/2		10
MAX640034	G3/4		10
MAX640001	G1"		10
MAX640114	G1"1/4		10
MAX640112	G1"1/2		10
MAX640002	G2"		10
MAX640212	G2"1/2		10
MAX640003	G3"		10
MAX640004	G4"		10

PORTAGOMMA MASCHIO CONICO

TAPER HOSE MALE ADAPTER

MAX69K



Codice/Code	ØT	F1	
MAX69K1806	6	R1/8	10
MAX69K1408	8	R1/4	10
MAX69K3810	10	R3/8	10
MAX69K1215	15	R1/2	10
MAX69K3420	20	R3/4	10
MAX69K0125	25	R1"	10
MAX69K011433	33	R1"1/4	10
MAX69K011240	40	R1"1/2	10
MAX69K0250	50	R2"	10