

MN60



Manometro costruito secondo  
 Norme UNI EN 837.1

Pressure gauge made according  
 UNI EN 837.1

NEW

MANOMETRI SECCO ATTACCO POSTERIORE

GAUGES CENTER BACK CONNECTION

Codice/Code	Diametro Diameter	Scala [bar] Range	Attacco conico Taper connection	Precisione Accuracy	
MN604018099P	40	-1 : 0	R.1/8	CL.2,5	1
MN604018001P	40	0 - 1	R.1/8	CL.2,5	1
MN604018106P	40	0 - 1,6	R.1/8	CL.2,5	1
MN604018205P	40	0 - 2,5	R.1/8	CL.2,5	1
MN604018004P	40	0 - 4	R.1/8	CL.2,5	1
MN604018006P	40	0 - 6	R.1/8	CL.2,5	1
MN604018010P	40	0 - 10	R.1/8	CL.2,5	1
MN604018012P	40	0 - 12	R.1/8	CL.2,5	1
MN604018016P	40	0 - 16	R.1/8	CL.2,5	1
MN604018025P	40	0 - 25	R.1/8	CL.2,5	1
MN604018040P	40	0 - 40	R.1/8	CL.2,5	1
MN604018060P	40	0 - 60	R.1/8	CL.2,5	1
MN604018100P	40	0 - 100	R.1/8	CL.2,5	1
MN604018160P	40	0 - 160	R.1/8	CL.2,5	1
MN605018099P	50	-1 : 0	R.1/8	CL.2,5	1
MN605018001P	50	0 - 1	R.1/8	CL.2,5	1
MN605018106P	50	0 - 1,6	R.1/8	CL.2,5	1
MN605018205P	50	0 - 2,5	R.1/8	CL.2,5	1
MN605018004P	50	0 - 4	R.1/8	CL.2,5	1
MN605018006P	50	0 - 6	R.1/8	CL.2,5	1
MN605018010P	50	0 - 10	R.1/8	CL.2,5	1
MN605018012P	50	0 - 12	R.1/8	CL.2,5	1
MN605018016P	50	0 - 16	R.1/8	CL.2,5	1
MN605014099P	50	-1 : 0	R.1/4	CL.2,5	1
MN605014001P	50	0 - 1	R.1/4	CL.2,5	1
MN605014106P	50	0 - 1,6	R.1/4	CL.2,5	1
MN605014205P	50	0 - 2,5	R.1/4	CL.2,5	1
MN605014004P	50	0 - 4	R.1/4	CL.2,5	1
MN605014006P	50	0 - 6	R.1/4	CL.2,5	1
MN605014010P	50	0 - 10	R.1/4	CL.2,5	1
MN605014012P	50	0 - 12	R.1/4	CL.2,5	1
MN605014016P	50	0 - 16	R.1/4	CL.2,5	1
MN605014025P	50	0 - 25	R.1/4	CL.2,5	1
MN606314099P	63	-1 : 0	R.1/4	CL.2,5	1
MN606314001P	63	0 - 1	R.1/4	CL.2,5	1
MN606314106P	63	0 - 1,6	R.1/4	CL.2,5	1
MN606314205P	63	0 - 2,5	R.1/4	CL.2,5	1
MN606314004P	63	0 - 4	R.1/4	CL.2,5	1
MN606314006P	63	0 - 6	R.1/4	CL.2,5	1
MN606314010P	63	0 - 10	R.1/4	CL.2,5	1
MN606314012P	63	0 - 12	R.1/4	CL.2,5	1
MN606314016P	63	0 - 16	R.1/4	CL.2,5	1
MN606314025P	63	0 - 25	R.1/4	CL.2,5	1
MN606314040P	63	0 - 40	R.1/4	CL.2,5	1
MN606314060P	63	0 - 60	R.1/4	CL.2,5	1
MN606314100P	63	0 - 100	R.1/4	CL.2,5	1
MN606314160P	63	0 - 160	R.1/4	CL.2,5	1
MN606314250P	63	0 - 250	R.1/4	CL.2,5	1
MN606314315P	63	0 - 315	R.1/4	CL.2,5	1
MN606314400P	63	0 - 400	R.1/4	CL.2,5	1

**MN62**



Manometro costruito secondo  
 Norme UNI EN 837.1

Pressure gauge made according  
 UNI EN 837.1

**NEW**

**MANOMETRI SECCO ATTACCO POSTERIORE CON FLANGIA 3 FORI**

**GAUGES CENTER BACK CONNECTION WITH 3 HOLES FLANGE**

Codice/Code	Diametro Diameter	Scala (bar) Range	Attacco conico Taper connection	Precisione Accuracy	
MN624018099PF	40	-1 : 0	R.1/8	CL.2,5	1
MN624018001PF	40	0 - 1	R.1/8	CL.2,5	1
MN624018106PF	40	0 - 1,6	R.1/8	CL.2,5	1
MN624018205PF	40	0 - 2,5	R.1/8	CL.2,5	1
MN624018004PF	40	0 - 4	R.1/8	CL.2,5	1
MN624018006PF	40	0 - 6	R.1/8	CL.2,5	1
MN624018010PF	40	0 - 10	R.1/8	CL.2,5	1
MN624018012PF	40	0 - 12	R.1/8	CL.2,5	1
MN624018016PF	40	0 - 16	R.1/8	CL.2,5	1
MN624018025PF	40	0 - 25	R.1/8	CL.2,5	1
MN624018040PF	40	0 - 40	R.1/8	CL.2,5	1
MN624018060PF	40	0 - 60	R.1/8	CL.2,5	1
MN624018100PF	40	0 - 100	R.1/8	CL.2,5	1
MN624018160PF	40	0 - 160	R.1/8	CL.2,5	1
MN625018099PF	50	-1 : 0	R.1/8	CL.2,5	1
MN625018001PF	50	0 - 1	R.1/8	CL.2,5	1
MN625018106PF	50	0 - 1,6	R.1/8	CL.2,5	1
MN625018205PF	50	0 - 2,5	R.1/8	CL.2,5	1
MN625018004PF	50	0 - 4	R.1/8	CL.2,5	1
MN625018006PF	50	0 - 6	R.1/8	CL.2,5	1
MN625018010PF	50	0 - 10	R.1/8	CL.2,5	1
MN625018012PF	50	0 - 12	R.1/8	CL.2,5	1
MN625018016PF	50	0 - 16	R.1/8	CL.2,5	1
MN625014099PF	50	-1 : 0	R.1/4	CL.2,5	1
MN625014001PF	50	0 - 1	R.1/4	CL.2,5	1
MN625014106PF	50	0 - 1,6	R.1/4	CL.2,5	1
MN625014205PF	50	0 - 2,5	R.1/4	CL.2,5	1
MN625014004PF	50	0 - 4	R.1/4	CL.2,5	1
MN625014006PF	50	0 - 6	R.1/4	CL.2,5	1
MN625014010PF	50	0 - 10	R.1/4	CL.2,5	1
MN625014012PF	50	0 - 12	R.1/4	CL.2,5	1
MN625014016PF	50	0 - 16	R.1/4	CL.2,5	1
MN625014025PF	50	0 - 25	R.1/4	CL.2,5	1
MN626314099PF	63	-1 : 0	R.1/4	CL.2,5	1
MN626314001PF	63	0 - 1	R.1/4	CL.2,5	1
MN626314106PF	63	0 - 1,6	R.1/4	CL.2,5	1
MN626314205PF	63	0 - 2,5	R.1/4	CL.2,5	1
MN626314004PF	63	0 - 4	R.1/4	CL.2,5	1
MN626314006PF	63	0 - 6	R.1/4	CL.2,5	1
MN626314010PF	63	0 - 10	R.1/4	CL.2,5	1
MN626314012PF	63	0 - 12	R.1/4	CL.2,5	1
MN626314016PF	63	0 - 16	R.1/4	CL.2,5	1
MN626314025PF	63	0 - 25	R.1/4	CL.2,5	1
MN626314040PF	63	0 - 40	R.1/4	CL.2,5	1
MN626314060PF	63	0 - 60	R.1/4	CL.2,5	1
MN626314100PF	63	0 - 100	R.1/4	CL.2,5	1
MN626314160PF	63	0 - 160	R.1/4	CL.2,5	1
MN626314250PF	63	0 - 250	R.1/4	CL.2,5	1
MN626314315PF	63	0 - 315	R.1/4	CL.2,5	1
MN626314400PF	63	0 - 400	R.1/4	CL.2,5	1

MN64



Manometro costruito secondo  
 Norme UNI EN 837.1

Pressure gauge made according  
 UNI EN 837.1

NEW

MANOMETRI SECCO ATTACCO POSTERIORE CON STAFFA

GAUGES CENTER BACK CONNECTION WITH CLAMP

Codice/Code	Diametro Diameter	Scala (bar) Range	Attacco conico Taper connection	Precisione Accuracy	
MN644018099PS	40	-1 : 0	R.1/8	CL.2,5	1
MN644018001PS	40	0 - 1	R.1/8	CL.2,5	1
MN644018106PS	40	0 - 1,6	R.1/8	CL.2,5	1
MN644018205PS	40	0 - 2,5	R.1/8	CL.2,5	1
MN644018004PS	40	0 - 4	R.1/8	CL.2,5	1
MN644018006PS	40	0 - 6	R.1/8	CL.2,5	1
MN644018010PS	40	0 - 10	R.1/8	CL.2,5	1
MN644018012PS	40	0 - 12	R.1/8	CL.2,5	1
MN644018016PS	40	0 - 16	R.1/8	CL.2,5	1
MN645014099PS	50	-1 : 0	R.1/4	CL.2,5	1
MN645014001PS	50	0 - 1	R.1/4	CL.2,5	1
MN645014106PS	50	0 - 1,6	R.1/4	CL.2,5	1
MN645014205PS	50	0 - 2,5	R.1/4	CL.2,5	1
MN645014004PS	50	0 - 4	R.1/4	CL.2,5	1
MN645014006PS	50	0 - 6	R.1/4	CL.2,5	1
MN645014010PS	50	0 - 10	R.1/4	CL.2,5	1
MN645014012PS	50	0 - 12	R.1/4	CL.2,5	1
MN645014016PS	50	0 - 16	R.1/4	CL.2,5	1
MN645014025PS	50	0 - 25	R.1/4	CL.2,5	1
MN646314099PS	63	-1 : 0	R.1/4	CL.2,5	1
MN646314001PS	63	0 - 1	R.1/4	CL.2,5	1
MN646314106PS	63	0 - 1,6	R.1/4	CL.2,5	1
MN646314205PS	63	0 - 2,5	R.1/4	CL.2,5	1
MN646314004PS	63	0 - 4	R.1/4	CL.2,5	1
MN646314006PS	63	0 - 6	R.1/4	CL.2,5	1
MN646314010PS	63	0 - 10	R.1/4	CL.2,5	1
MN646314012PS	63	0 - 12	R.1/4	CL.2,5	1
MN646314016PS	63	0 - 16	R.1/4	CL.2,5	1

MN65



Manometro costruito secondo  
 Norme UNI EN 837.1

Pressure gauge made according  
 UNI EN 837.1

NEW

MANOMETRI SECCO ATTACCO RADIALE

GAUGES BOTTOM CONNECTION

Codice/Code	Diametro Diameter	Scala (bar) Range	Attacco conico Taper connection	Precisione Accuracy	
MN654018099R	40	-1 : 0	R.1/8	CL.2,5	1
MN654018001R	40	0 - 1	R.1/8	CL.2,5	1
MN654018106R	40	0 - 1,6	R.1/8	CL.2,5	1
MN654018205R	40	0 - 2,5	R.1/8	CL.2,5	1
MN654018004R	40	0 - 4	R.1/8	CL.2,5	1
MN654018006R	40	0 - 6	R.1/8	CL.2,5	1
MN654018010R	40	0 - 10	R.1/8	CL.2,5	1
MN654018012R	40	0 - 12	R.1/8	CL.2,5	1
MN654018016R	40	0 - 16	R.1/8	CL.2,5	1
MN654018025R	40	0 - 25	R.1/8	CL.2,5	1
MN654018040R	40	0 - 40	R.1/8	CL.2,5	1
MN654018060R	40	0 - 60	R.1/8	CL.2,5	1
MN654018100R	40	0 - 100	R.1/8	CL.2,5	1
MN654018160R	40	0 - 160	R.1/8	CL.2,5	1
MN654018250R	40	0 - 250	R.1/8	CL.2,5	1
MN655014099R	50	-1 : 0	R.1/4	CL.2,5	1
MN655014001R	50	0 - 1	R.1/4	CL.2,5	1
MN655014106R	50	0 - 1,6	R.1/4	CL.2,5	1
MN655014205R	50	0 - 2,5	R.1/4	CL.2,5	1
MN655014004R	50	0 - 4	R.1/4	CL.2,5	1
MN655014006R	50	0 - 6	R.1/4	CL.2,5	1
MN655014010R	50	0 - 10	R.1/4	CL.2,5	1
MN655014012R	50	0 - 12	R.1/4	CL.2,5	1
MN655014016R	50	0 - 16	R.1/4	CL.2,5	1
MN655014025R	50	0 - 25	R.1/4	CL.2,5	1
MN655014040R	50	0 - 40	R.1/4	CL.2,5	1
MN655014060R	50	0 - 60	R.1/4	CL.2,5	1
MN655014100R	50	0 - 100	R.1/4	CL.2,5	1
MN655014160R	50	0 - 160	R.1/4	CL.2,5	1
MN655014250R	50	0 - 250	R.1/4	CL.2,5	1
MN656314099R	63	-1 : 0	R.1/4	CL.2,5	1
MN656314066R	63	0 - 0,6	R.1/4	CL.2,5	1
MN656314001R	63	0 - 1	R.1/4	CL.2,5	1
MN656314106R	63	0 - 1,6	R.1/4	CL.2,5	1
MN656314205R	63	0 - 2,5	R.1/4	CL.2,5	1
MN656314004R	63	0 - 4	R.1/4	CL.2,5	1
MN656314006R	63	0 - 6	R.1/4	CL.2,5	1
MN656314010R	63	0 - 10	R.1/4	CL.2,5	1
MN656314012R	63	0 - 12	R.1/4	CL.2,5	1
MN656314016R	63	0 - 16	R.1/4	CL.2,5	1
MN656314025R	63	0 - 25	R.1/4	CL.2,5	1
MN656314040R	63	0 - 40	R.1/4	CL.2,5	1
MN656314060R	63	0 - 60	R.1/4	CL.2,5	1
MN656314100R	63	0 - 100	R.1/4	CL.2,5	1
MN656314160R	63	0 - 160	R.1/4	CL.2,5	1
MN656314250R	63	0 - 250	R.1/4	CL.2,5	1

## MX70



Manometro costruito secondo  
Norme UNI EN 837.1

Pressure gauge made according  
UNI EN 837.1

**NEW**

### MANOMETRI GLICERINA CASSA INOX ATTACCO RADIALE

#### INOX GAUGES LIQUID FILLABLE BOTTOM CONNECTION

Codice/Code	Diametro Diameter	Scala (bar) Range	Attacco cilindrico Parallel connection	Precisione Accuracy	
MX706314099R	63	-1 : 0	G.1/4"	CL.1,6	1
MX706314001R	63	0 - 1	G.1/4"	CL.1,6	1
MX706314106R	63	0 - 1,6	G.1/4"	CL.1,6	1
MX706314205R	63	0 - 2,5	G.1/4"	CL.1,6	1
MX706314004R	63	0 - 4	G.1/4"	CL.1,6	1
MX706314006R	63	0 - 6	G.1/4"	CL.1,6	1
MX706314010R	63	0 - 10	G.1/4"	CL.1,6	1
MX706314016R	63	0 - 16	G.1/4"	CL.1,6	1
MX706314025R	63	0 - 25	G.1/4"	CL.1,6	1
MX706314040R	63	0 - 40	G.1/4"	CL.1,6	1
MX706314060R	63	0 - 60	G.1/4"	CL.1,6	1
MX706314100R	63	0 - 100	G.1/4"	CL.1,6	1
MX706314160R	63	0 - 160	G.1/4"	CL.1,6	1
MX706314250R	63	0 - 250	G.1/4"	CL.1,6	1
MX706314315R	63	0 - 315	G.1/4"	CL.1,6	1
MX706314400R	63	0 - 400	G.1/4"	CL.1,6	1
MX706314600R	63	0 - 600	G.1/4"	CL.1,6	1
MX7063141000R	63	0 - 1000	G.1/4"	CL.1,6	1

**SU RICHIESTA POSSIAMO FORNIRE MANOVUOTOMETRI D.63 SCALE**  
-1+0,6; -1+1,5; -1+3; -1+5; -1+9

ON DEMAND WE CAN SUPPLY GAUGES COMPOUND D.63 RANGE  
-1+0,6; -1+1,5; -1+3; -1+5; -1+9

MX701012099R	100	-1 : 0	G.1/2"	CL.1,0	1
MX701012001R	100	0 - 1	G.1/2"	CL.1,0	1
MX701012106R	100	0 - 1,6	G.1/2"	CL.1,0	1
MX701012205R	100	0 - 2,5	G.1/2"	CL.1,0	1
MX701012004R	100	0 - 4	G.1/2"	CL.1,0	1
MX701012006R	100	0 - 6	G.1/2"	CL.1,0	1
MX701012010R	100	0 - 10	G.1/2"	CL.1,0	1
MX701012016R	100	0 - 16	G.1/2"	CL.1,0	1
MX701012025R	100	0 - 25	G.1/2"	CL.1,0	1
MX701012040R	100	0 - 40	G.1/2"	CL.1,0	1
MX701012060R	100	0 - 60	G.1/2"	CL.1,0	1
MX701012100R	100	0 - 100	G.1/2"	CL.1,0	1
MX701012160R	100	0 - 160	G.1/2"	CL.1,0	1
MX701012250R	100	0 - 250	G.1/2"	CL.1,0	1
MX701012400R	100	0 - 400	G.1/2"	CL.1,0	1
MX701012600R	100	0 - 600	G.1/2"	CL.1,0	1
MX7010121000R	100	0 - 1000	G.1/2"	CL.1,0	1

## MX71



Manometro costruito secondo  
Norme UNI EN 837.1

Pressure gauge made according  
UNI EN 837.1

NEW

### MANOMETRI GLICERINA CASSA INOX ATTACCO POSTERIORE

#### INOX GAUGES LIQUID FILLABLE BACK CONNECTION

Codice/Code	Diametro Diameter	Scala (bar) Range	Attacco cilindrico Parallel connection	Precisione Accuracy	
MX716314099P	63	-1 : 0	G.1/4"	CL.1,6	1
MX716314001P	63	0 - 1	G.1/4"	CL.1,6	1
MX716314106P	63	0 - 1,6	G.1/4"	CL.1,6	1
MX716314205P	63	0 - 2,5	G.1/4"	CL.1,6	1
MX716314004P	63	0 - 4	G.1/4"	CL.1,6	1
MX716314006P	63	0 - 6	G.1/4"	CL.1,6	1
MX716314010P	63	0 - 10	G.1/4"	CL.1,6	1
MX716314016P	63	0 - 16	G.1/4"	CL.1,6	1
MX716314025P	63	0 - 25	G.1/4"	CL.1,6	1
MX716314040P	63	0 - 40	G.1/4"	CL.1,6	1
MX716314060P	63	0 - 60	G.1/4"	CL.1,6	1
MX716314100P	63	0 - 100	G.1/4"	CL.1,6	1
MX716314160P	63	0 - 160	G.1/4"	CL.1,6	1
MX716314250P	63	0 - 250	G.1/4"	CL.1,6	1
MX716314315P	63	0 - 315	G.1/4"	CL.1,6	1
MX716314400P	63	0 - 400	G.1/4"	CL.1,6	1
MX716314600P	63	0 - 600	G.1/4"	CL.1,6	1

## MX99



NEW

### STAFFA POSTERIORE PER MANOMETRI GLICERINA INOX D.63

#### BACK CLAMP FOR INOX GAUGES LIQUID FILLABLE BACK CONNECTION D.63

Codice/Code	Diametro Diameter				
MX990063P	63				1

## MX72



Manometro costruito secondo  
Norme UNI EN 837.1

Pressure gauge made according  
UNI EN 837.1

NEW

### MANOMETRI GLICERINA CASSA INOX ATTACCO POSTERIORE CON FLANGIA 3 FORI

#### INOX GAUGES LIQUID FILLABLE BACK CONNECTION WITH 3 HOLES FLANGE

Codice/Code	Diametro Diameter	Scala (bar) Range	Attacco cilindrico Parallel connection	Precisione Accuracy	
MX726314099PF	63	-1 : 0	G.1/4"	CL.1,6	1
MX726314001PF	63	0 - 1	G.1/4"	CL.1,6	1
MX726314106PF	63	0 - 1,6	G.1/4"	CL.1,6	1
MX726314205PF	63	0 - 2,5	G.1/4"	CL.1,6	1
MX726314004PF	63	0 - 4	G.1/4"	CL.1,6	1
MX726314006PF	63	0 - 6	G.1/4"	CL.1,6	1
MX726314010PF	63	0 - 10	G.1/4"	CL.1,6	1
MX726314016PF	63	0 - 16	G.1/4"	CL.1,6	1
MX726314025PF	63	0 - 25	G.1/4"	CL.1,6	1
MX726314040PF	63	0 - 40	G.1/4"	CL.1,6	1
MX726314060PF	63	0 - 60	G.1/4"	CL.1,6	1
MX726314100PF	63	0 - 100	G.1/4"	CL.1,6	1
MX726314160PF	63	0 - 160	G.1/4"	CL.1,6	1
MX726314250PF	63	0 - 250	G.1/4"	CL.1,6	1
MX726314400PF	63	0 - 400	G.1/4"	CL.1,6	1
MX726314600PF	63	0 - 600	G.1/4"	CL.1,6	1

## MXX82

### MANOMETRI A SECCO INTERAMENTE INOX ATTACCO RADIALE

#### COMPLETE INOX GAUGES BOTTOM CONNECTION



Manometro costruito secondo  
Norme UNI EN 837.1

Pressure gauge made according  
UNI EN 837.1

**NEW**

Codice/Code	Diametro Diameter	Scala (bar) Range	Attacco cilindrico Parallel connection	Precisione Accuracy	
MXX826314099R	63	-1 : 0	G.1/4"	CL.1,6	1
MXX826314001R	63	0 - 1	G.1/4"	CL.1,6	1
MXX826314106R	63	0 - 1,6	G.1/4"	CL.1,6	1
MXX826314205R	63	0 - 2,5	G.1/4"	CL.1,6	1
MXX826314004R	63	0 - 4	G.1/4"	CL.1,6	1
MXX826314006R	63	0 - 6	G.1/4"	CL.1,6	1
MXX826314010R	63	0 - 10	G.1/4"	CL.1,6	1
MXX826314016R	63	0 - 16	G.1/4"	CL.1,6	1
MXX826314025R	63	0 - 25	G.1/4"	CL.1,6	1
MXX826314040R	63	0 - 40	G.1/4"	CL.1,6	1
MXX826314060R	63	0 - 60	G.1/4"	CL.1,6	1
MXX826314100R	63	0 - 100	G.1/4"	CL.1,6	1
MXX826314160R	63	0 - 160	G.1/4"	CL.1,6	1
MXX826314250R	63	0 - 250	G.1/4"	CL.1,6	1
MXX826314400R	63	0 - 400	G.1/4"	CL.1,6	1
MXX826314600R	63	0 - 600	G.1/4"	CL.1,6	1

MXX821012099R	100	-1 : 0	G.1/2"	CL.1,0	1
MXX821012001R	100	0 - 1	G.1/2"	CL.1,0	1
MXX821012106R	100	0 - 1,6	G.1/2"	CL.1,0	1
MXX821012205R	100	0 - 2,5	G.1/2"	CL.1,0	1
MXX821012004R	100	0 - 4	G.1/2"	CL.1,0	1
MXX821012006R	100	0 - 6	G.1/2"	CL.1,0	1
MXX821012010R	100	0 - 10	G.1/2"	CL.1,0	1
MXX821012016R	100	0 - 16	G.1/2"	CL.1,0	1
MXX821012025R	100	0 - 25	G.1/2"	CL.1,0	1
MXX821012040R	100	0 - 40	G.1/2"	CL.1,0	1
MXX821012060R	100	0 - 60	G.1/2"	CL.1,0	1
MXX821012100R	100	0 - 100	G.1/2"	CL.1,0	1
MXX821012160R	100	0 - 160	G.1/2"	CL.1,0	1
MXX821012250R	100	0 - 250	G.1/2"	CL.1,0	1
MXX821012400R	100	0 - 400	G.1/2"	CL.1,0	1
MXX821012600R	100	0 - 600	G.1/2"	CL.1,0	1

**SU RICHIESTA I MANOMETRI MXX82 D.63-100 SONO FORNIBILI ANCHE CON GLICERINA - CODICI E PREZZI SONO DIFFERENTI**

ON DEMAND WE CAN SUPPLY GAUGES MXX82 D.63-100 WITH LIQUID FILLABLE - CODES AND PRICES ARE DIFFERENT